

SKOPE®



Display - Food Display

Every view, elevated

skope.com

Contents


Food Display ActiveView	4
Key Features	6
ActiveView Fridge Summary	12
ActiveView Fridge Specs	14
ActiveView Heated Summary	16
ActiveView Heated Specs	18





ActiveView

Designed to display, built to perform



ActiveView

Premium food presentation

ActiveView is the premium choice for front of house food displays, combining striking aesthetics and uncompromised performance. The frameless double-glazed glass display on the fridges are heated to minimise condensation and maximise product visibility. Each adjustable, tiltable stainless steel shelf and the front vertical edges are fitted with dimmable LED lights to ensure your food is displayed at its best.

The clean, modern aesthetic integrates into any front of house environment, creating a striking centrepiece that elevates the customer experience.

Choose optimised climates for sandwiches, cakes or salads in a refrigerated cabinet or hot savouries in our heated display, there is an ActiveView model to ensure food is always displayed with clarity, style and impact.

Unprecedented temperature control

ActiveView gives you more options. With SKOPE-connect technology, it is possible to easily switch between having a food-safe (1-4°C) refrigerated or controlled ambient display (15-18°C), removing the need to invest in separate products. This flexibility allows operators to quickly adapt to changing menus, seasonal demand, or evolving display needs, all while maintaining precise temperature consistency. SKOPE-connect comes at no extra cost and works straight out of the box, giving you full visibility of cabinet temperatures and instant alerts if temperature consistency is ever at risk, so issues can be resolved quickly with no downtime or product loss.



Unmatched energy efficiency

SKOPE's ActiveView range sets the new standard for low energy consumption in food display. Engineered with the market leading ActiveCore cartridge, ActiveView delivers significantly lower running costs than comparable display cabinets on the market. By minimising heat discharge and maximising efficiency, ActiveView helps reduce operational expenses while supporting a more sustainable business. The result is a premium merchandiser that protects both the bottom line and the environment.

Trusted performance

At the heart of ActiveView is SKOPE's market leading ActiveCore refrigeration cartridge, trusted across the industry for its reliability, efficiency and serviceability. With rear-breathing ventilation and a removable lower-front panel, ActiveView can be seamlessly built into shopfitting and cabinetry for a clean, uninterrupted finish. The ActiveCore cartridge can be swapped in just 5-10 minutes, allowing limited downtime and disruption. Backed by a market leading 5 year warranty, ActiveView gives operators the confidence that their investment will deliver consistent performance for years to come.

The SKOPE Difference | Nothing performs like a SKOPE



Unrivalled Energy Efficiency

ActiveView's eco-friendly R290 refrigerant delivers incredible efficiency, saving up to \$1,220 per year on running costs compared to comparable competitors.



Truly Green Technology

The Global Warming Potential of our natural refrigerant is virtually zero. Other refrigerants can be over 54,000 times worse for the environment.




Seamless Integration

With rear-breathing ventilation and a removable lower-front panel, ActiveView can be built flush into cabinetry and shopfitting designs, creating a clean, uninterrupted presentation.



The Clearest View

Our heated glass display virtually eliminates the risk of condensation. Combined with a frameless construction and superior lighting - your food will always be the hero.




Effortless Cleaning

ActiveView's streamlined design, easily removable 304 stainless steel shelves and frameless edges make day to day cleaning fast and simple, helping maintain impeccable hygiene.



Quicker, Safer Servicing

Major servicing can close your business for hours with other brands. SKOPE's ActiveCore interchangeable refrigeration cartridge means the cartridge can be swapped out in 5-10 minutes so repairs can be made safely offsite.



Typical SKOPE Toughness

Constructed from high-grade 304 stainless steel, ActiveView is engineered for strength and durability, standing up to the demands of busy hospitality environments while maintaining a premium finish.




Superior Warranty Protection


SKOPE has always been synonymous with quality. That's why ActiveView is backed by a market leading full 5 year warranty.

ActiveView Fridge Food Display | Summary


- Perfect for:
- Front of house presentation of chilled foods in cafes, bakeries and hospitality venues
 - Safely storing, showcasing and maintaining freshness of chilled and ambient items such as, sandwiches, salads, reheatable foods, cakes and desserts
 - Where you want to combine premium aesthetics with reliable refrigeration
 - When seamless integration is required
 - Buisnesses focused on driving sales through clear, well-lit displays



Bright, LED Lighting



Low Energy Costs




A Minimalist Aesthetic




FDR.900



FDR.1200



FDR.1500



FDR.1800

Key Features

- Heated, double glazed glass on all display sides
- Dimmable LED product lighting of all shelves
- Dimmable LED cabinet lighting on vertical inside face
- Adjustable height and angle glass shelves
- Stay-open double glazed sliding doors with auto soft-close at <75mm
- Tool-free removable doors, shelving and base panels for easy cleaning
- Stainless steel base panels for stand-alone use, removable for integration into custom counter-fronts
- 100mm high swivel castors (front lockable)
- ActiveCore removable refrigeration cartridge
- Natural R290 refrigerant
- SKOPE-connect app
- 5 year warranty



Options

- Stainless steel wire shelves
- Merchandising strips
- Adjustable legs (levelling via recessed fixing pockets or high clearance via base fixing points)
- Powder coated black or white front and side base panels
- Powder coated custom colour front and side base panels

Stock Availability

- Stocked - all models

ActiveView Fridge Food Display | Specifications




Product Details	900mm Fridge Food Display Cabinet	1200mm Fridge Food Display Cabinet	1500mm Fridge Food Display Cabinet	1800mm Fridge Food Display Cabinet
Model Number	FDR.900	FDR.1200	FDR.1500	FDR.1800
Finish	304 stainless steel and frameless heated glass	304 stainless steel and frameless heated glass	304 stainless steel and frameless heated glass	304 stainless steel and frameless heated glass
Footprint (m²)	0.68	0.9	1.13	1.35
Shelves	2 tiers of 2x glass shelves & 2x stainless steel base panels	2 tiers of 3x glass shelves & 3x stainless steel base panels	2 tiers of 4x glass shelves & 4x stainless steel base panels	2 tiers of 4x glass shelves & 4x stainless steel base panels
Interior Lighting	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face
Doors	2x double glazed, stay-open sliding doors with auto soft-close at <75mm	2x double glazed, stay-open sliding doors with auto soft-close at <75mm	2x double glazed, stay-open sliding doors with auto soft-close at <75mm	2x double glazed, stay-open sliding doors with auto soft-close at <75mm
Refrigeration Unit	Self-contained R290	Self-contained R290	Self-contained R290	Self-contained R290
Storage Capacity				
Internal Volume (L)	358 TBC	482 TBC	607 TBC	732 TBC
Performance				
Max Ambient Temperature (°C)	40	40	40	40
Temperature Range (°C)	1 to 4 (adjustable via SKOPE-connect)	1 to 4 (adjustable via SKOPE-connect)	1 to 4 (adjustable via SKOPE-connect)	1 to 4 (adjustable via SKOPE-connect)
GEMS Certified Climate Class	M1 (Food safe 0-5 °C)	M1 (Food safe 0-5 °C)	M1 (Food safe 0-5 °C)	M1 (Food safe 0-5 °C)
Energy Consumption (kWh/24h)	3.20 TBC	3.60 TBC	4.12 TBC	6.20 TBC
Annual Running Cost (@ \$0.30/kWh)	\$350 TBC	\$394 TBC	\$451 TBC	\$679 TBC
Current Draw (Amps)	6 TBC	6 TBC	6 TBC	6 TBC




ActiveView Heated Food Display | Summary


- Perfect for:
- Front of house presentation of hot foods in cafes, bakeries and hospitality venues
 - Showcasing and maintaining freshness of items such as, savouries, pies, hot snacks and ready-to-serve meals
 - Where reliable heat-holding is needed while maintaining visual appeal
 - When seamless integration and a premium aesthetic is required
 - Buisnesses focused on increasing purchases of hot, ready-to-eat food



Bright, LED Lighting



Low Energy Costs



A Minimalist Aesthetic

Key Features


- 15 minute warm-up time
- Removable sliding doors
- 304 stainless steel exterior and shelves
- Dimmable LED lighting on each shelf and at front vertical face
- Adjustable height and angle wire shelves
- 100mm high swivel castors (front lockable)
- SKOPE-connect app
- 5 year warranty

Options


- Merchandising strips
- Adjustable legs (levelling via recessed fixing pockets or high clearance via base fixing points)
- Powder coated black or white front and side base panels
- Powder coated custom colour front and side base panels

Stock Availability

- Stocked - all models



ActiveView Heated Food Display | Specifications



Product Details	900mm Refrigerated Food Display Cabinet	1200mm Refrigerated Food Display Cabinet
Model Number	FDH.900	FDH.1200
Finish	304 stainless steel and frameless glass	304 stainless steel and frameless glass
Footprint (m²)	0.68	0.9
Shelves	2 tiers of 2x stainless steel wire shelves & 2x stainless steel base panels	2 tiers of 3x stainless steel wire shelves & 3x stainless steel base panels
Interior Lighting	LED	LED
Doors	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face
Refrigeration Unit	NA	NA
Storage Capacity		
Internal Volume (L)	358 TBC	482 TBC
Performance		
Max Ambient Temperature (°C)	40	40
Temperature Range (°C)	65 to 85	65 to 85
GEMS Certified Climate Class	TBC	TBC
Energy Consumption (kWh/24h)	TBC	TBC
Annual Running Cost (@ \$0.30/kWh)	TBC	TBC
Current Draw (Amps)	TBC	TBC



Head Office

New Zealand
SKOPE Industries Limited
57 Princess Street
PO Box 1091
Christchurch 8140
New Zealand
International Tel: +64 (3) 983 3800

Customer Experience

Australia
Freephone: 1800 121 535
Email: skope@skope.com

New Zealand
Freephone: 0800 947 5673
Email: skope@skope.com



Scan the QR code to register
your warranty.



The paper from this brochure is recyclable.

Information contained in this document has been checked for accuracy at the time of production. SKOPE reserves the right to alter any detail without notice. Conditions are subject to change without notice. The photographs used in this publication are for illustrative purposes only. Minor design changes may result in slight variations between the product illustrated and the final delivered product.

AUS 1800 121 535 / NZ 0800 947 567. Copyright © SKOPE Industries Limited. All rights reserved. SKOPE Industries Ltd reserves the right to alter specifications without notice. Visit www.skope.com for the most recent specification documents.