



ActiveView



Food Display



Warranty



Natural Refrigerant



SKOPE-connect



Finance Options

Premium food presentation

ActiveView is the premium choice for front of house food displays, combining striking aesthetics and uncompromised performance. The frameless double-glazed glass display on the fridges are heated to minimise condensation and maximise product visibility. Each adjustable, tiltable stainless steel shelf and the front vertical edges are fitted with LED lights to ensure your food is displayed at its best.

The clean, modern aesthetic integrates into any front of house environment, creating a striking centrepiece that elevates the customer experience.

Choose optimised climates for sandwiches, cakes or salads in a refrigerated cabinet or hot savouries in our heated display, there is an ActiveView model to ensure food is always displayed with clarity, style and impact.




Seamless integration

ActiveView has been designed with front of house presentation in mind. With rear breathing ventilation, thanks to the ActiveCore cartridge, the cabinet can be fully enclosed on the front and sides without compromising performance, freeing up valuable floor and counter space.

The removable front panel allows the unit to be built flush into cabinetry for a clean, uninterrupted finish.

Whether installed as a standalone feature or as part of a larger fit-out, ActiveView blends seamlessly into any design concept, creating a premium display that enhances the product and the overall customer experience.



Unmatched energy efficiency

SKOPE's ActiveView range sets the new standard for low energy consumption in food display. Engineered with the market leading ActiveCore cartridge, ActiveView delivers significantly lower running costs than comparable display cabinets on the market.

By minimising heat discharge and maximising efficiency, ActiveView helps reduce operational expenses while supporting a more sustainable business. The result is a premium merchandiser that protects both the bottom line and the environment.

Unprecedented temperature control

ActiveView gives you more options. With SKOPE-connect technology, it is possible to easily switch between having a food-safe (1-4°C) refrigerated or controlled ambient display (15-18°C), removing the need to invest in separate products. This flexibility allows operators to quickly adapt to changing menus, seasonal demand, or evolving display needs, all while maintaining precise temperature consistency.

SKOPE-connect comes at no extra cost and works straight out of the box, giving you full visibility of cabinet temperatures and instant alerts if consistency is ever at risk, so issues can be resolved quickly with no downtime or product loss.





ActiveView Refrigerated Food Display

Specifications	FDR.900 900mm Fridge Food Display	FDR.1200 1200mm Fridge Food Display	FDR.1500 1500mm Fridge Food Display	FDR.1800 1800mm Fridge Food Display
Finish	304 stainless steel	304 stainless steel	304 stainless steel	304 stainless steel
Doors	2x double glazed, soft-close glass doors	2x double glazed, soft-close glass doors	2x double glazed, soft-close glass doors	2x double glazed, soft-close glass doors
Shelving	2 tiers of 2x adjustable glass shelves & 2x stainless steel base panels	2 tiers of 3x adjustable glass shelves & 3x stainless steel base panels	2 tiers of 4x adjustable glass shelves & 4x stainless steel base panels	2 tiers of 4x adjustable glass shelves & 4x stainless steel base panels
Lighting	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face
Width (mm)	900	1200	1500	1800
Depth (mm)	750	750	750	750
Height (mm)	1300	1300	1300	1300
Weight (kg)	TBC	TBC	TBC	TBC
Capacity (L)	358 TBC	482 TBC	607 TBC	732 TBC
Footprint (m2)	0.68	0.9	1.13	1.35
Product Temperature Range (°C)	1 to 4 (Adjustable via SKOPE-Connect)	1 to 4 (Adjustable via SKOPE-Connect)	1 to 4 (Adjustable via SKOPE-Connect)	1 to 4 (Adjustable via SKOPE-Connect)
Maximum Ambient Temperature (°C)	40	40	40	40
Total Energy Consumption	3.20 TBC	3.60 TBC	4.12 TBC	6.20 TBC
Annual Running Costs	\$350 TBC	\$394 TBC	\$451 TBC	\$679 TBC
Electrical Supply	220-240 volts ac 50 Hz single phase	220-240 volts ac 50 Hz single phase	220-240 volts ac 50 Hz single phase	220-240 volts ac 50 Hz single phase
Current Draw (A)	6 TBC	6 TBC	6 TBC	6 TBC
Refrigerant/Charge	R290/111g	R290/111g	R290/111g	R290/111g



ActiveView Heated Food Display

Specifications	FDR.900 900mm Heated Food Display	FDR.1200 1200mm Heated Food Display
Finish	304 stainless steel	304 stainless steel
Doors	2x glass doors	2x glass doors
Shelving	2 tiers of 2x adjustable stainless steel wire shelves & 2x stainless steel base panels	2 tiers of 3x adjustable stainless steel wire shelves & 3x stainless steel base panels
Lighting	Dimmable LEDs under each shelf and at front vertical face	Dimmable LEDs under each shelf and at front vertical face
Width (mm)	900	1200
Depth (mm)	750	750
Height (mm)	1300	1300
Weight (kg)	TBC	TBC
Capacity (L)	358 TBC	482 TBC
Footprint (m2)	0.68	0.9
Product Temperature Range (°C)	65 to 85	65 to 85
Maximum Ambient Temperature (°C)	40	40
Total Energy Consumption	TBC	TBC
Annual Running Costs	TBC	TBC
Electrical Supply	220-240 volts ac 50 Hz single phase	220-240 volts ac 50 Hz single phase
Current Draw (A)	TBC	TBC
Refrigerant/Charge	NA	NA